



accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

Product: RILSAN® FX0035 Page: 1 / 7

SDS No.: 021000-001 (Version 1.0) Date 03.03.2021

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Identification of the mixture: RILSAN® FX0035

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Mouldings

1.3. Details of the supplier of the safety data sheet

Supplier ARKEMA - France

420 rue d'Estienne d'Orves

92705 LA GARENNE-COLOMBES, FRANCE

Telephone: +33 (0)1 49 00 80 80 Telefax: +33 (0)1 49 00 83 96

Research product manufactured by ARKEMA FRANCE CERDATO - CENTRE D'ETUDE DE RECHERCHE & DEVELOPPEMENT

Polymères Techniques 27470 SERQUIGNY, FRANCE Telephone: +33 (0)2 32 46 65 00

1.4. Emergency telephone number

+33 1 49 00 80 80

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008):

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2. Label elements

Label elements (REGULATION (EC) No 1272/2008):

Additional information: No label necessary for this product.

2.3. Other hazards

Potential health effects:

Acute exposure: Contact with the product, when handled at high temperatures, can cause serious burns.

Inhalation: Inhalation of vapours due to thermal decomposition: Risk of irritation of respiratory system Toxic effects cannot be excluded Dust inhalation: Risk of irritation of respiratory system

Skin contact: At high temperature, products of thermal decomposition can be irritating to skin

Eye contact: At high temperature, products of thermal decomposition can be irritating to eyes

Environmental Effects:

Inert polymer not biodegradable on the basis of its structure

Physical and chemical hazards:

Thermal decomposition giving toxic and corrosive products.

Decomposition products: See chapter 10

Other:

Results of PBT and vPvB assessment: Based on the available information, it is not possible to conclude on PBT and vPvB criteria according to REACH regulation, annex XIII.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures





accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

 Product:
 RILSAN® FX0035
 Page: 2/7

 SDS No.: 021000-001 (Version 1.0)
 Date 03.03.2021

Chemical nature of the mixture :

Preparation based on : polyamide

Hazardous components (accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)):

Chemical name ¹ & REACH Registration Number ²	EC-No.	CAS-No.	Concentration	Classification REGULATION (EC) No 1272/2008
Glass Fibers (N° ANNEX: 650-017-00-8)	266-046-0	65997-17-3	<= 65 %	WEL substance

No hazardous ingredients

- 1: See chapter 14 for Proper Shipping Name
- 2:See the text of the regulation for applicable exceptions or provisions -

4. FIRST AID MEASURES

4.1. Description of necessary first-aid measures:

General advice:

No hazards which require special first aid measures.

Inhalation

Inhalation of vapours due to thermal decomposition: Move to fresh air. Oxygen or artificial respiration if needed. In case of persistent problems: Consult a physician.

Skin contact:

In case of skin contact Wash off immediately with soap and plenty of water.

On contact with hot product: Cool skin rapidly with cold water after contact with molten polymer. In case of adhesion, do not try to remove the product. Treat the affected areas as thermal burns. Consult a physician.

Eye contact:

Dusts: Wash well-open eyes immediately, abundantly and thoroughly with water. Remove particles remaining under the eyelids. If irritation persists, consult an ophthalmologist.

On contact with hot product: Cool eyes rapidly with cold water after contact with molten polymer. Consult an ophthalmologist immediately.

Ingestion:

In case of problems : Consult a doctor.

Protection of first-aiders:

In case of insufficient ventilation, wear suitable respiratory equipment.

4.2. Most important symptoms/effects, acute and delayed: No data available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary: No data available.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Water spray, Foam, Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture:

300 - 350 °C: possible formation of:

Monomer and oligomer (white furnes)

Thermal decomposition giving toxic and corrosive products :

Carbon monoxide, Ammonia, Amino derivatives

Temperature exceeding 500 °C:

Formation of toxic products through combustion:

Carbon oxides, Hydrogen cyanide (hydrocyanic acid), (traces)

5.3. Advice for firefighters:

Specific methods:

Ensure a system for the rapid emptying of containers. In case of fire nearby, remove the bags.

Special protective actions for fire-fighters:

In the event of fire, wear self-contained breathing apparatus.





accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

Product: Page: 3 / 7 RILSAN® FX0035 SDS No.: 021000-001 (Version 1.0) Date 03.03.2021

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes and inhalation of dust. Wear a dust mask and safety glasses/goggles if necessary. In case of insufficient ventilation, wear suitable respiratory equipment.

6.2. Environmental precautions:

Do not release into the environment. Do not let product enter drains.

6.3. Methods and materials for containment and cleaning up:

Recover the product. Sweep up to prevent slipping hazard. Rinse with water. Recover waste water for processing later.

Destroy the product by incineration (in accordance with local and national regulations).

6.4. Reference to other sections: None.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling:

Technical measures/Precautions:

Storage and handling precautions applicable to products: Solid (pellets).

Ensure ventilation of work areas and extraction of dust or vapours likely to be given off during conversion operations (product handled when hot). Provide showers, eye-baths Provide water supplies near the point of use.

At all stages of the operation, do not exceed the temperature at which decomposition into toxic and corrosive products will occur. Remove all sources of ignition. Avoid accumulation of static charges during transfers in metallic systems. Avoid the formation and deposition of dust. In case of dust formation, wear a dust mask. Keep well away from naked flames.

Hygiene measures:

Avoid contact with skin and eyes and inhalation of dust. Product handled when hot: Avoid inhalation of vapours. When using do not eat, drink

Wash hands after handling. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities:
Store away from moisture and heat to maintain the technical properties of the product. Remove all sources of ignition. Provide earthing and safe electrical equipment.

Do not store above: 60 °C

Incompatible products:

None known.

Packaging material:

Recommended: Triplex bags (polyethylene - aluminium - polyethylene), Triplex bags (paper, aluminium, polyethylene)

7.3. Specific end use(s): None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

Exposure Limit Values

Glass Fibers

Source	Date	Value type	Value	Value	Remarks
			(ppm)	(mg/m3)	
EU OELIII	12 2017	TWA	-	0.3 fibers/mL	-
ACGIH (US)	03 2014	TWA	-	5	Inhalable fraction.
ACGIH (US)	03 2018	TWA	-	1 fibers/cm3	fibres
ACGIH (US)	03 2018	TWA	-	0.2	fibres
				fibers/cm3	

Derived No Effect Level (DNEL):

This information is not required.

Predicted No Effect Concentration:

This information is not required.

8.2. Exposure controls:





accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

RILSAN® FX0035 Page: 4 / 7 SDS No.: 021000-001 (Version 1.0) Date 03.03.2021

General protective measures: Ensure ventilation of work areas and extraction of dust or vapours likely to be given off during

conversion operations (product handled when hot).

Personal protective equipment:

Skin and body protection:

Product handled when hot : In case of insufficient ventilation, wear suitable respiratory Respiratory protection:

equipment.

In the case of hazardous fumes, wear self contained breathing apparatus.

Hand protection:

Gloves (product handled in molten state)
Safety glasses/goggles (product handled in molten state) - Wear face-shield and protective clothing in case of problems during processing Eye/face protection:

Boots (product handled in molten state)

Environmental exposure controls: See chapter 6

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance:

Physical state (20°C): solid Form: granules Colour: natural colour Odour: odourless Olfactory threshold: Not relevant Not relevant 189 °C Melting point/range : Boiling point/boiling range : Not relevant Flash point: No data available. Evaporation rate: Not relevant Flammability (solid, gas): No data available. Vapour pressure: Not relevant Vapour density: Not relevant Relative density: No data available. Water solubility: No data available. Partition coefficient: n-octanol/water: No data available. Auto-ignition temperature: No data available. > 350 °C Decomposition temperature: Viscosity, kinematic: Not applicable Explosive properties: Explosivity: Not relevant Oxidizing properties: Not relevant

9.2. Other data: None.

10. STABILITY AND REACTIVITY

10.1. Reactivity: No data available.

10.2. Chemical stability: The product is stable under normal handling and storage conditions.

10.3. Possibility of hazardous reactions:

None under normal conditions of use.

10.4. Conditions to avoid: Temperatures above 60 °C

Heat, flames and sparks. Exposure to moisture (to maintain the technical properties of the product).

10.5. Incompatible materials to avoid:

Strong acids and oxidizing agents

10.6. Hazardous decomposition products:

Thermal decomposition:

Decomposition temperature: > 350 °C 300 - 350 °C: possible formation of: Monomer and oligomer (white fumes)





accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

 Product:
 RILSAN® FX0035
 Page: 5/7

 SDS No.: 021000-001 (Version 1.0)
 Date 03.03.2021

Thermal decomposition giving toxic and corrosive products:

Carbon monoxide, Ammonia, Amino derivatives

Temperature exceeding 500 °C:

Formation of toxic products through combustion:

Carbon oxides, Hydrogen cyanide (hydrocyanic acid), (traces)

11. TOXICOLOGICAL INFORMATION

All available data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

11.1. Information on toxicological effects:

Acute toxicity:

Inhalation:

Inhalation of vapours due to thermal decomposition:, Risk of irritation of respiratory system, Toxic

effects cannot be excluded

Ingestion: Polymer: According to its composition, this product should not be harmful in normal conditions

of use

Dermal: Polymer: According to its composition, this product should not be harmful in normal

conditions of use

Local effects (Corrosion / Irritation / Serious eye damage):

Skin contact: Polymer: According to its composition, can be considered as Slightly or not irritating to skin

Contact with the product, when handled at high temperatures, can cause serious burns.

At high temperature, products of thermal decomposition can be irritating to skin

Eye contact: Polymer: According to its composition, can be considered as Slightly or not irritating to eyes

Contact with the product, when handled at high temperatures, can cause serious burns.

At high temperature, products of thermal decomposition can be irritating to eyes

Respiratory or skin sensitisation:

Inhalation: No data available.

Skin contact: According to its composition, can be considered as Not a skin sensitizer No reported effect on

man in industry

CMR effects :

Mutagenicity: Polymer: According to its composition, this product should not be harmful in normal conditions

of use Contains no ingredient listed as a mutagen

Carcinogenicity: Polymer: According to its composition, this product should not be harmful in normal

conditions of use

Reproductive toxicity:

Fertility: Polymer: According to its composition, this product should not be harmful in normal conditions

of use

Foetal development: Polymer: According to its composition, this product should not be harmful in normal conditions

of use

Specific target organ toxicity:

Single exposure :

Inhalation:

Dust inhalation: , Risk of irritation of respiratory system

Repeated exposure: Polymer: According to its composition, this product should not be harmful in normal

conditions of use





accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s

 Product:
 RILSAN® FX0035
 Page: 6 / 7

 SDS No.: 021000-001 (Version 1.0)
 Date 03.03.2021

Aspiration hazard:

Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicology Assessment: All available and relevant data on this product and/or the components quoted in section 3 and/or the

analogue substances/metabolites have been taken into account for the hazard assessment.

12.1. Acute toxicity:

Fish: Based on the available information, it is not possible to conclude on the hazard potential of this

product.

Aquatic invertebrates: Based on the available information, it is not possible to conclude on the hazard potential of

this product.

Aquatic plants: Based on the available information, it is not possible to conclude on the hazard potential of this

product.

12.2. Persistence and degradability:

Biodegradation (In water): Inert polymer Not biodegradable on the basis of its structure

12.3. Bioaccumulative potential:

Bioaccumulation: Based on the available information, it is not possible to conclude on the hazard potential of this

product.

12.4. Mobility in soil - Distribution among environmental compartments:

Vapor pressure: Not relevant,

12.5. Results of PBT and vPvB assessment:

Based on the available information, it is not possible to conclude on PBT and vPvB criteria according to REACH regulation, annex XIII.

12.6. Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment:

Disposal of product: Do not dispose of waste into sewer. Recycle if possible. Destroy the product by incineration (in

accordance with local and national regulations).

Disposal of packaging: Do not release into the environment. Recycle if possible. Destroy packaging by incineration at an

approved waste disposal site (in accordance with local and national regulations).

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Safety data sheets: accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. Chemical safety assessment: None.

16. OTHER INFORMATION





accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s

 Product:
 RILSAN® FX0035
 Page: 7/7

 SDS No.: 021000-001 (Version 1.0)
 Date 03.03.2021

Thesaurus:

NOAEL: No Observed Adverse Effect Level (NOAEL) LOAEL: Lowest Observed Adverse Effect Level (LOAEL)

bw : Body weight food : oral feed dw : Dry weight

dw : Dry weight vPvB : very Persistent and very Bioaccumulative PBT : Persistent, Bioaccumulative and Toxic

This information applies to the PRODUCT AS SUCH and conforming to specifications of ARKEMA. In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear. The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive. It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product. It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product (usage, storage, cleaning of containers, other processes) the totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

NB: In this document the numerical separator of the thousands is the "." (point), the decimal separator is "," (comma).